

## ROHM's new structure

### New structure 1:

Development of the driver IC of 144 bits per element

The special driver IC was generally 64 bits or 128 bits per element. However, the printhead for fax machines consists of 1728 bits. In split printing within one head, 27 of 64-bit ICs or 13.5 of 128-bit ICs are required. This has caused an inconvenience. Engineers working for IC manufacturers do not know

about thermal printheads, so they develop only 64, 128, or 256-bit ICs. At ROHM, IC engineers and printhead engineers have cooperated and developed a 144-bit driver IC to eliminate this inconvenience. The 144-bit driver IC, which is now becoming a standard for fax machine printheads, is a masterpiece created by the comprehensive technical expertise of ROHM.

- Number of driver ICs for an A4-size printhead



27 of driver ICs of 64 bits per element are required.  
This cannot perform even split printing.



12 of driver ICs of 144 bits per element are required.  
This can perform even split printing.


### New structure 2:

Development of an exclusive connector

An exclusive connector for thermal printheads was developed to reduce the size of a thermal printhead.

In conventional models, a flexible cable that connects the connector and heating element circuit board prevented any attempts at size reduction of the thermal printhead. Therefore, an exclusive connector was developed with the idea that a connector directly attached to the circuit board eliminates the need for the flexible cable, thus contributing to the size reduction of the printhead. This connector structure greatly reduced the number of parts and enabled compact and lightweight printheads.

In addition, this new structure enables the heatsink to be separated, which provides a high degree of flexibility in designing the whole set.



### New structure 3:

High performance heat history control (See next page for details)

Another example of product development using our own ICs is a thermal printhead with a built-in high performance heat history control.

Thermal printheads with a built-in heat history control are sold by other companies as well as ROHM. The heat history control is limited by the performance of the driver IC that is on board. Even though

better control gives higher speed and better printing quality, advanced technology is required to develop a compact high performance IC. Ahead of other manufacturers, ROHM has developed a high performance IC that enables advanced control considering the future printing information as well as the past printing information.

### Notes

- No technical content pages of this document may be reproduced in any form or transmitted by any means without prior permission of ROHM CO.,LTD.
- The contents described herein are subject to change without notice. The specifications for the product described in this document are for reference only. Upon actual use, therefore, please request that specifications to be separately delivered.
- Application circuit diagrams and circuit constants contained herein are shown as examples of standard use and operation. Please pay careful attention to the peripheral conditions when designing circuits and deciding upon circuit constants in the set.
- Any data, including, but not limited to application circuit diagrams information, described herein are intended only as illustrations of such devices and not as the specifications for such devices. ROHM CO.,LTD. disclaims any warranty that any use of such devices shall be free from infringement of any third party's intellectual property rights or other proprietary rights, and further, assumes no liability of whatsoever nature in the event of any such infringement, or arising from or connected with or related to the use of such devices.
- Upon the sale of any such devices, other than for buyer's right to use such devices itself, resell or otherwise dispose of the same, no express or implied right or license to practice or commercially exploit any intellectual property rights or other proprietary rights owned or controlled by
- ROHM CO., LTD. is granted to any such buyer.
- Products listed in this document use silicon as a basic material.  
Products listed in this document are no antiradiation design.

The products listed in this document are designed to be used with ordinary electronic equipment or devices (such as audio visual equipment, office-automation equipment, communications devices, electrical appliances and electronic toys).

Should you intend to use these products with equipment or devices which require an extremely high level of reliability and the malfunction of which would directly endanger human life (such as medical instruments, transportation equipment, aerospace machinery, nuclear-reactor controllers, fuel controllers and other safety devices), please be sure to consult with our sales representative in advance.

#### About Export Control Order in Japan

Products described herein are the objects of controlled goods in Annex 1 (Item 16) of Export Trade Control Order in Japan.

In case of export from Japan, please confirm if it applies to "objective" criteria or an "informed" (by MITI clause) on the basis of "catch all controls for Non-Proliferation of Weapons of Mass Destruction.