


Item Composition

Optical Sensors


■ Part No. Explanation (Optical Sensors)

● Transmission Type

7characters




8characters




● Reflective Type

7characters



8characters



■ Packaging Specifications *Examples

Packaging Style	Part No.	Specifications		Quantity per unit (pcs)	Basic ordering unit (pcs)
		Item packaging	Case		
Bulk	RPI-243*	Polyethylene bag	Paper box	250 / bag	1000 / box
Tube	RPI-576NI*	Tube	Paper box	40 / tube	1000 / box
Taping	RPI-0125*	Reel Aluminum bag	Paper box	750 / reel	750 / reel
Bulk	RPR-220	Polyethylene bag	Paper box	100 / bag	500
Tube	RPR-220UC30N	Tube	Paper box	100 / tube	2500

■ Part No. Explanation (Infrared Light Emitting Diodes)

SIR		341		ST		3F			
Series Name		Shape		Output configuration		Package color		Packaging Specifications	
SIR	3mm and 5mm lamp packages infrared LED			S	Infrared LED	B	Colored	3F	Straight
SIM	Side view lamp packages infrared LED			R	Infrared LED	T	Clear	T31	Taping
SML	Chip LEDs							T32	Taping
								A47	Taping
								T86	Emboss taping
								T87	Emboss taping
								T96	Emboss taping
								T97	Emboss taping

■ Packaging Specifications

Packaging style	Package	Specifications		Quantity per unit (pcs)	Basic ordering unit (pcs)
Taping	Surface mount type	Emboss taping		—	3500 / reel, 2000 / reel 1500 / reel, 1000 / reel
	All Part No	Radial taping		—	2000 / reel
Bulk	φ3, φ5 types	Item packaging: polyethylene bag	Case:paper box	500 / bag	φ5mm lamps 1000 / box. φ3mm and side view 2000 / box.
	Side-view			200 / bag	

■ Part No. Explanation (Phototransistors)

RPT		34P		B		3F			
Series Name		Shape		Output configuration		Package color		Packaging Specifications	
RPT	3mm lamp packages detecting device			P	Phototransistor	B	Colored	3F	Straight
RPM	Side view packages detecting device			R	Phototransistor	T	Clear	T31	Radial taping
SML	Surface mount type							T32	Radial taping
SCM	Chip LEDs							T86	Emboss taping
								T87	Emboss taping
								T97	Emboss taping

■ Packaging Specifications

Packaging style	Package	Specifications		Quantity per unit (pcs)	Basic or dering unit (pcs)
Taping	Surface mount type	Emboss taping		—	3500 / reel, 3000 / reel 2000 / reel, 1000 / reel
	φ3 type	Radial taping		—	2000 / reel
	Side-view				
Bulk	φ3 type	Item packaging: polyethylene bag	Case:paper box	500 / bag	2000 / box
	Side-view			200 / bag	

Notes

No copying or reproduction of this document, in part or in whole, is permitted without the consent of ROHM Co.,Ltd.

The content specified herein is subject to change for improvement without notice.

The content specified herein is for the purpose of introducing ROHM's products (hereinafter "Products"). If you wish to use any such Product, please be sure to refer to the specifications, which can be obtained from ROHM upon request.

Examples of application circuits, circuit constants and any other information contained herein illustrate the standard usage and operations of the Products. The peripheral conditions must be taken into account when designing circuits for mass production.

Great care was taken in ensuring the accuracy of the information specified in this document. However, should you incur any damage arising from any inaccuracy or misprint of such information, ROHM shall bear no responsibility for such damage.

The technical information specified herein is intended only to show the typical functions of and examples of application circuits for the Products. ROHM does not grant you, explicitly or implicitly, any license to use or exercise intellectual property or other rights held by ROHM and other parties. ROHM shall bear no responsibility whatsoever for any dispute arising from the use of such technical information.

The Products specified in this document are intended to be used with general-use electronic equipment or devices (such as audio visual equipment, office-automation equipment, communication devices, electronic appliances and amusement devices).

The Products specified in this document are not designed to be radiation tolerant.

While ROHM always makes efforts to enhance the quality and reliability of its Products, a Product may fail or malfunction for a variety of reasons.

Please be sure to implement in your equipment using the Products safety measures to guard against the possibility of physical injury, fire or any other damage caused in the event of the failure of any Product, such as derating, redundancy, fire control and fail-safe designs. ROHM shall bear no responsibility whatsoever for your use of any Product outside of the prescribed scope or not in accordance with the instruction manual.

The Products are not designed or manufactured to be used with any equipment, device or system which requires an extremely high level of reliability the failure or malfunction of which may result in a direct threat to human life or create a risk of human injury (such as a medical instrument, transportation equipment, aerospace machinery, nuclear-reactor controller, fuel-controller or other safety device). ROHM shall bear no responsibility in any way for use of any of the Products for the above special purposes. If a Product is intended to be used for any such special purpose, please contact a ROHM sales representative before purchasing.

If you intend to export or ship overseas any Product or technology specified herein that may be controlled under the Foreign Exchange and the Foreign Trade Law, you will be required to obtain a license or permit under the Law.



Thank you for your accessing to ROHM product informations.
More detail product informations and catalogs are available, please contact us.

ROHM Customer Support System

<http://www.rohm.com/contact/>